

**Material Safety Data Sheet**

May be used to comply with  
OSHA's Hazard Communication Standard.  
9 CFR 1910.1200. Standard must be consulted for specific  
requirements.

**U. S. Department of Labor**

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved OMB No. 1210-0072

**IDENTITY (AS USED ON LABEL AND LIST)*****Trojan Masonry Sealer® #60-66***

NOTE: BLANK SPACES ARE NOT PERMITTED. IF  
ANY ITEM IS NOT APPLICABLE, OR NO  
INFORMATION IS AVAILABLE THE SPACE MUST BE  
MARKED TO INDICATE THAT.

**SECTION I****MANUFACTURER NAME:**

ENVIROSAFE MANUFACTURING CORP.

**East Coast:** 7634-B Progress Cir. \* **West Coast:** 817 Benton Way

Melbourne, FL 32904

Wenatchee, WA 98801

**(509) 662-9204****CHEMTREC COMPANY CODE: C937****EMERGENCY PHONE NUMBER**

CHEMTREC (800) 424-9300 Domestic

(703) 527-3887 International

**TELEPHONE NUMBER FOR INFORMATION**

1-800-800-5737

**DATE PREPARED/UPDATED**

01/09/2002

2/11/2008

**D.O.T. Hazard Class: Non-Hazardous-Not Regulated****SECTION II - Hazardous Ingredients / Identity Information**

Hazardous Components (Specific Chemical Identity): Common Name:	OSHA PEL	ACGH TLV	Other Limits Recommended	%
<i>No hazardous Materials to report</i>				

N/E – Not Established

N/A – Not Applicable

**SECTION III – Physical / Chemical Characteristics**

BOILING POINT:

*110<sup>0</sup> C/-1%*

VAPOR PRESSURE (MM HS):

*N/A*

V.O.C.: Extremely low

*11.67 g/L - 0.11 lb/G*

APPEARANCE AND ODOR:

*Translucent Liquid*

SPECIFIC GRAVITY (H2O = 1):

*1.01*

FREEZING POINT:

**Approx. 32<sup>0</sup> F**

EVAPORATION RATE ( Butyl Acetate=1):

*N/A*

SOLUBILITY IN WATER:

**Complete****SECTION IV – Fire and Explosion Hazard Data**

FLASH POINT (METHOD USED): None

LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA: Non-Flammable

SPECIAL FIRE FIGHTING PROCEDURES: None

UNUSUAL FIRE FIGHTING AND EXPLOSION HAZARDS: None

FLAMMABLE LIMITS: None

**SECTION V – Reactivity Data**STABILITY: STABLE:  X  UNSTABLE: \_\_\_\_\_

INCOMPATIBLE (MATERIALS TO AVOID) ORGANICS ALKALI &amp; ACID PRODUCTS

HAZARDOUS DECOMPOSITIONS OR BYPRODUCTS: NE

HAZARDOUS POLYMERIZATION : MAY OCCUR \_\_\_\_\_ WILL NOT OCCUR:  X 

CONDITIONS TO AVOID: N/A

**SECTION VI – Health Hazard Data**

ROUTE(S) OF ENTRY: INHALATION? Yes

SKIN? Yes

INGESTION? Yes

HEALTH HAZARDS (ACUTE AND CHRONIC):



Trojan Masonry Sealer®

**MASSACHUSETTS SUBSTANCE LIST:** None

**NEW JERSEY WORKPLACE HAZARDOUS SUBSTANCE LIST:** None

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEETS. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSON PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN THE USE OF THIS MATERIAL.